

Focus on neurophysiological evidence is still needed

Roman Rosipal^{1,2}, Natália Porubcová¹, Zuzana Roštáková¹
Leonardo Jose Trejo²

¹ Slovak Academy of Sciences, Bratislava, Slovakia

² Pacific Development and Technology, LLC, Palo Alto, CA, USA








- Research at NASA Ames Research Center, starting at late 90's
- Multimodal Neuroelectric Interface Development
- Includes: BCI, EMG virtual keyboards and joysticks, sub-vocal speech, etc.
- Focus on Augmented Cognition and Human-computer Interactions
- Mental Fatigue, Cognitive Workload, Task Engagement, etc. detection and monitoring






- Research at the Slovak Academy of Sciences (SAS), 2013 →
- Focus on Individualized Neurorehabilitation of Upper Limbs of Post-stroke Patients
- Includes: Mirror-box Therapy, Robot-Assisted BCI, VR or Mixed Reality BCI

• ERD/ERS & SSVEP BCI Systems





● ERD/ERS Robotic-BCI-FES & VR-BCI-FES Systems



Patient's perspective:

- Don't let classifier to drive me, let him to follow me!
 - Train what is needed for me, not what I am good at!
-
- Don't make it easy, don't make it hard!
 - I may spend more time with you, please don't make me bored!
 - Please, interact with me!


Search for Neurophysiological Evidence: Individuality, Space, Frequency



Alpha traveling waves



Stolk et al. Electrocorticographic dissociation of alpha and beta rhythmic activity in the human sensorimotor system, *eLife* 2019;8:e48065.
DOI: <https://doi.org/10.7554/eLife.48065>

Search for Neurophysiological Evidence: Individuality, Space, Frequency




Stolk et al. Electrocorticographic dissociation of alpha and beta rhythmic activity in the human sensorimotor system, *eLife* 2019;8:e48065.
DOI: <https://doi.org/10.7554/eLife.48065>

Motivational Examples (space)







Averaged oscillatory part of the EEG power spectrum recorded during resting eyes-closed. A chronic stroke patient with ischemia in the fronto-temporo-parietal area on the left side

Motivational Examples (frequency)






Decomposition of the power spectrum density (PSD) into the fractal (scale-free) and oscillatory components underlying the eyes-closed awake state recorded after mirror-box training. Plots represent means of the IRASA decomposition computed separately for 4-s-long overlapping segments of approximately two minutes long resting block at two central EEG electrodes C3 and C4. Frequencies were restricted to the range 1-25 Hz for the visualization purposes..

Motivational Examples (frequency)




Tensor Decomposition into Unique Space-Frequency-Time Atoms

- Neurofeedback like control of time-scores of a given atom or atoms interactions - **interplay**





Cognitive Status Detection and Monitoring



- Longer-term projects sponsored by NASA and Army Research Office (ARO)
- Collaboration with UCLA

Mental fatigue monitoring



Lateralized Attention Network Test



- We developed the LANT for measuring selective attention in each hemisphere. It includes:
 - Conflict resolution
 - Spatial Cueding
 - Alerting
 - Inhibition of Return
- The LANT is sensitive to individual differences:
 - In Attentiveness and In-Order
 - In Personality (e.g., introvert, extrovert)
 - In Social Interactions, e.g.,
 - Attentional Disruption
 - Conditions of Movement
- Performance can be optimized by:
 - Adapting to the complementary diurnal rhythms of the attentional networks in the two hemispheres
 - Providing individually emotionally relevant background and spatial cues
 - Modulating the attentional networks of the two hemispheres, e.g., by using
 - Cueding / relaxation
 - EEG feedback







Figure 1: The LANT as adapted from Glines et al., 2000



Cognitive Effects of VR: Visual Working Memory




Contralateral Delay Activity (CDA)

The CDA is a negative slow wave sensitive to the number of objects maintained in visual working memory (VWM)



Lirkis CAVE

Proprietary designed the defense game focused on training VWM





Roman Rosipal, PhD
roman.rosipal@savba.sk



Natália Porubcová, MD
nataliaporubec@gmail.com




Zuzana Rošťáková, PhD
zuzana.rostakova@savba.sk



Leonardo J Trejo, PhD
ltrejo@pacdel.com

<http://aiolos.um.savba.sk/~roman/rrLab/>



<http://www.pacdel.com>



- * Rostakova Z., Rosipal R., Seifpour S., Trejo L.J. A Comparison of Non-negative Tucker Decomposition and Parallel Factor Analysis for Identification and Measurement of Human EEG Rhythms. *Measurement Science Review*, 20(3):126-138, 2020. [▶ Link](#)
- * Rosipal R., Porubcova N., Barancok P., Cimrova B., Farkas I., Trejo L.J. Effects of Mirror-Box Therapy on Modulation of Sensorimotor EEG Oscillatory Rhythms: A Single-Case Longitudinal Study. *Journal of Neurophysiology*, 121(2):620-633, 2019. [▶ Link](#)
- * Rosipal R., Porubcova N., Cimrova B., Farkas I. Mirror-therapy as a way to start BCI robot-assisted rehabilitation: a single case longitudinal study of a patient with hemiparesis. *The Seventh International BCI Meeting*, Pacific Grove, CA, USA, May 21-25, 2018. [▶ Link](#)
- * Korecko S., Hudak M., Sobota B., Marko M., Cimrova B., Farkas I., Rosipal R. Assessment and training of visuospatial cognitive functions in virtual reality: proposal and perspective. pdf document In *Proceedings of CogInfoCom: The 9th IEEE International Conference on Cognitive InfoCommunications*, Budapest, Hungary, pp. 39-43, 2018. [▶ Link](#)
- * Trejo L.J., Kubitz K., Rosipal R., Kochavi R.L., Montgomery L.D. EEG-Based Estimation and Classification of Mental Fatigue. *Psychology*, 6:572-589, 2015. [▶ Link](#)
- * Trejo L.J., Rosipal R., Nunez P.L. Advanced Physiological Estimation of Cognitive Status. *The 27th Army Science Conference*, Orlando, Florida, November 29 - December 2, 2010. [▶ Link](#)
- * Rosipal R., Trejo L.J., Nunez P.L. Application of Multi-way EEG Decomposition for Cognitive Workload Monitoring. In *Proceedings of the 6th International Conference on Partial Least Squares and Related Methods*, Vinzi V.E., Tenenhaus M., Guan R. (eds.), Beijing, China, pp. 145-149, 2009. [▶ Link](#)
- * Trejo L.J., Rosipal R., Matthews B. Brain-Computer Interfaces for 1-D and 2-D Cursor Control: Designs using Volitional Control of the EEG Spectrum or Steady-State Visual Evoked Potentials. *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, 14(2):225-229, 2006. [▶ Link](#)
- * Trejo L.J., Wheeler K.R., Jorgensen C.C., Rosipal R., Clanton S.T., Matthews B., Hibbs A.D., Matthews R., Krupka M. Multimodal Neuroelectric Interface Development. *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, 11:199-204, 2003. [▶ Link](#)
- * Vaughan T.M., Heetderks W.J., Trejo L.J., Rymer W.Z., Weinrich M., Moore M.M., Kubler A., Dobkin B.H., Birbaumer N., Donchin E., Wolpaw E.W., Wolpaw J.R.. Brain-computer interface technology: a review of the Second International Meeting. *EEE Transactions on Neural Systems and Rehabilitation Engineering*, 11:94-109, 2003. [▶ Link](#)